3/135/60/000/006/002/007 A104/A029

Activity of VNIIESO in Automation of Welding Equipment

welder was developed for welding 1.5 - 2 mm thick side-walls of locomotives. The welder has 30 pairs of electrodes and 10 welding converters totalling 2.400 kva. The minimum distance between electrodes is 65 mm, the maximum distance 2,145 mm. The MTMB-24X240 (MTMV-24X240) multi-electrode spot welder has 24 pairs of electrodes, 12 welding converters and a chain conveyer system. The MMCG-2X50 (MShSP-2X50) contact-roller welder and a MCT-6 (MST-6) semi-automatic welder for friction welding of accumulator terminals consisting of 10 - 12 mm copper bars welded to a 8 mm plate were also developed. The welder is equipped with a turntable with a capacity of 400 weldments per hour. The new method replaced low-production torch welding. There are 3 tables and 10 photographs.

Card 3/3

\$/110/60/000/006/001/007 E194/E455

AUTHOR:

Kochanovskiy, N.Ya., Engineer

TITLE:

The Development of Electric Welding Production in the

Current Seven-Year Plan

PERIODICAL: Vestnik elektropromyshlennosti, 1960, ANo.6, pp.6-11

TEXT: In the seven-year plan the production of welded constructions will be more than doubled. The output of electric welding equipment should be more than quadrupled. The use of resistance-welding and submerged-arc welding and electro-slag welding will be more than doubled. Inert-gas arc-welding will increase 6 times and by 1965 the level of mechanization of welding will be not less than 40% and in important branches of industry 60 to 80%. The use of welding is increasing in automatic and mechanized production and multi-electrode machines with crogramme control are being introduced, for example for making tubes from strip. It is necessary to develop new methods of welding: the desirable features of new welding equipment are enumerated. Considerable successes have been achieved with new welding processes Card 1/6

5/110/60/000/006/001/007 #194/8455

The Development of Electric Welding Production in the Current Seven-Year Plan

and improved techniques. A new process of electro-slag welding has been developed for joining parts of almost any thickness. This is particularly important in the manufacture of large parts. The method of electric arc welding in a carbon dioxide atmosphere, which is cheap and well-suited to welding low-carbon low-alloy and some high alloy steels, has been proposed, The main types of welding equipment required have been developed and series production has commenced. A. Chudikov has developed the method of friction welding which is very promising but its introduction is being delayed because of the low rate of output of the pretotype. method of are contact welding with a rotating are controlled unquetically has a number of advantages. This portland can be used to weld various cylindrical products, including the and oil piping, and consumes little power. The process of cold butt-welding of aluminium and copper and the mothod of cold spot-welding for attaching copper fittings to aluminium bushars and wires have been Card 2/6

\$/110/60/000/006/001/007 \$194/\$455

The Development of Electric Welding Production in the Current Seven-Year Plan

common temporal page in the second page of the second second

developed and can be successfully used in a variety of constructions in the electrical industry. Process development work is being carried out on vacuum welding by an electron beam, ultrasonic spot- and seam-welding, and on new processes for welding metals and plastics. A number of new promising welding processes are still inndequately used. The welding equipment for these processes often consists of laboratory prototypes or is produced in limited quantities. It is necessary to develop series production of such equipment. In recent years, Soviet industry has received considerable quantities of equipment for series production. Automatic and semi-automatic equipment for welding and depositing weld metal under flux in a protective gas atmosphere has been developed. A new series of wore economical welding transformors has been developed, as well as many other types of equipment. In the great amjority of cases, the equipment produced meets modern requirements. However, the Card 3/6

THE RESERVE THE PROPERTY OF TH

\$/110/60/000/006/001/007 £194/£455

The Development of Electric Welding Production in the turrent Seven-Year Plan

industry is still producing obsolescent types of whichine which are of unsatisfactory welding properties or are too heavy and cumbersome. This particularly applies to various types of motor-generator convertors. Hundreds of different types of machines are now being produced for arc, resistance and other kinds of welding. this great range has its conveniences in many ways, it has its disadvantages too: considerable standardization and concentration on the hest types of equipment is required. It is necessary to extend the standard equipment for welding in a protective atmosphere. Similar mothods are also used for depositing hard alloys on wearing parts. A series of machines should be developed for contact impulse spot- and seam-welding of cluminium Attention should be paid to the use of semiconductor rectifiers in power supply systems for arc and resistance welding. Sold conductor rectifiers should be developed for welding currents of up to 1000 A. In view of the extending use of new grades of alloy and rare metals and also of various plastics, it is Card 4/6

5/110/60/000/006/001/007 E194/E455

THE PERSON THE PROPERTY OF THE PERSON OF THE

The Development of Electric Welding Production in the Current Seven-Year Plan

necessary to develop standard equipment for new welding processes (welding in vacuum by a beam of electrons, and high-frequency welding). By developing standard welding equipment great savings of material should be possible. Hew types of welding transformers, particularly those with aluminium windings, have permitted considerable economy of copper. The use of static capacitors in conjunction with welding transformers improves the power factor. Equipment panels have been considerably standardized. electrode welding sets for spot- and seam-welding have been extensively applied in industry. Use is also made of special sets made up as automatic machines or automatic lines to carry out an integrated series of assembly and welding operations on products. Multi-electrode welding sets are finding ever wider application in various branches of industry, particularly in the manufecture of automobiles and railway rolling stock, in the coal industry and in agricultural machine construction. Automatic machines for welding Card 5/6

\$/193/61/000/011/001/007 A004/A101

AUTHOR:

Kochanovskiy, N. Ya., Candidate of Technical Sciences

TITLE:

State and development prospects of resistance welding

PERIODICAL: Byulleten tekhniko-ekonomicheskoy informatsii, no. 11, 1961, 14-20

TEXT: The author presents a detailed survey on resistance welding equipment, such as standard resistance welders, welders for the welding of light alloys, specialized machinery and automatic welders and welding lines, and describes the further development of resistance welding in the Soviet Union under the current Seven-Year Plan. He points out that, compared to 1955, the production of resistance welders in 1961 increased by a factor of %, while the technical level of this equipment was raised considerably. In 1961 the total output of resistance welders was divided into welders for spot welding - 58.5%, for seam welding - 8.7% and for resistance butt welding - 32.8%. The author presents a table breaking down the welder output into machines of up to 50 kva and over that capacity, and mentions in this connection the MTK-2 (MTK-2), TKM-7 (TKM-7) and TKM-8 (TKM-8) welders for the spot welding of ferrous and nonferrous metals 0.02 to 0.7 mm thick, the MC-0.75 (MS-2.75) and MC-3 (MS-3) butt welders for

Card 1/3

S/193/61/000/011/001/007 A004/A101

State and development prospects of resistance ...

ferrous and nonferrous metals from 0.4 to 8 mm in diameter. The spot, seam and projection welders are of unified design with a great number of standardized units and parts. Resistance welders of more than 50 kva power represent at present some 30% of the total number of resistance welding machines. Six types and sizes of the MTH (MTP) stationary spot welder in the range of 75 - 400 kva are produced at present. These machines are intended for the welding of lowcarbon steels from 0.5 + 0.5 to 8 + 8 mm thick. The MIII (MShP) and MIIIE (MShPE) seam welders ranging from 100 to 200 kva are manufactured in eight types and sizes and are intended for the welding of sheet material from 0.5 + 0.5 to 2 + 2mm thick. The latter type is used preferably in the automotive industry. A series of resistance butt welders ranging from 150 to 500 kva with electric and hydraulic drive and automatic control make it possible to weld low-carbon steel parts up to 8,000 mm2 cross section. The author mentions a specialized heavyduty welder of the MCO-750 (MSO-750) type for the welding of rails, pipes, wheel rims, etc., and a spot welder with large electrode arm for the welding of large-sized components. A new series of pulsation spot welders of the MTHT (MTPT) type with three-phase power supply has been developed. These welders range from 450 to 1,000 kva, have a boom of 1.5 m and are intended for the welding of aluminum alloys up to 7 + 7 mm thick. The author points out that

Card 2/3

State and development prospects of resistance ...

8/193/61/000/011/001/007 A004/A101

projection welders are widely used in industry for the production of metallic radio tubes, while four-roller seam welders are used for the welding of accumulator housings. These machines have a capacity of up to 1,500 parts/hour. MCA(MSL) resistance butt welders are used in welding and assembly lines for the welding of strip and sheet materials 1.5 to 6 mm thick and 100 to 500 mm wide. The capacity of these welders amounts to 70 welds/hour. More powerful butt welders (800 kva) weld sheets up to 1 m wide and 5 mm thick. The welding current is some 150,000 amp. Multi-spot welders for the welding of automobile, rail car, agricultural machine and other parts have some tens of electrodes. The rated capacity of an assembly and welding line is 150 mine chutes per hour. The author then gives a brief survey on welding automatics and automatic welding lines, e.g. for the welding of pipes from strip material with a capacity of up to two and more kilometers of finished pipe per hour, for the manufacture of welded chains from wire 6 to 19 mm in diameter with a capacity from 250 to 700 chain links per hour, for the production of nettings and framework for reinforced concrete structures with a capacity of up to 250 running meters of ready netting per hour. It is pointed out that, compared with 1960, the output of resistance welders is going to be increased by 1965 by a factor of 3.5 - 4. There are 3 figures and 2 tables.

Card 3/3

"APPROVED FOR RELEASE: 09/18/2001

CIA-RDP86-00513R000723420017-5

S/110/62/000/004/002/002 1004/1204

AUTHOR:

Kochanovskiy, N. Ya. Candidate of Mechanical Science

TITLE.

Some of the activities of VNIIESO in 1961

PERIODICAL:

Vestnik elektropromyshlennosti, no. 4, 1962, 65-68

TEXT: Production of welding machines in the USSR has more than tripled as compared with 1955 and this rate of growth is claimed to surpass that of the USA. Special attention is being paid at the VNIIESO to inert-gas metal-arc welding and heliarc metal cutting processes. Contact welding, ultrasonic-, friction- and cold-welding are also a part of the studies. Both general purpose and specialized equipment is being developed. General purpose welding machines are designed for specific materials and cross-sections without attention being paid to the elements intended for welding. Other welding equipment takes into account the features of the elements to be welded and the degree of mechanisation and automatisation of the entire technological process. The following equipment has been developed at VNIIESO during 1961: (1) motor-generator convertor for 500 amp for inert-gas- shielded are welding; (2) universal selenium rectifiers BCY-300 (VSU-300) and BCY-500 (VSU-500) for welding machines; (3) small portable transformer (100 to 180 amp) for are welding of constructions; (4) automatic are welding machine AJK-500 (AD:K-500) for welding of ring-shaped elements of 75 to 300 mm dia in an atmosphere of carbon dioxide; (5) a copying device with a follow-up system which

<u>/</u>


Card 1/2

Some of the activities of ...

\$/110/62/000/004/002/002 1004/1204

moves the electrode wire into the desired position; (6) universal automatic 1000 amp submerged are welding machine, (7) heliare metal cutting machine for aluminum, copper and stainless steel with special argon-saving heads; the cutting speed of stainless steel 10 to 60 mm thick is correspondingly 80 to 12 m/hour; (8) improved automatic spot welding equipment able to attain 200 spots per minute. It is pointed out that power supplies for contact welding machines employing semiconductor rectifiers make the welding machine smaller and simpler. Prototypes of a friction welding machine for cylindrical elements 20 to 50 mm dia and a coldwelding machine were constructed. Universal 600 kVA machines for pulse welding, machines for welding of plastics, ultrasonic welding and others were also developed during this period. There are 3 figures

Card 2/2



TENERT 'YEV, Yuriy Yakovlevich; (ROMYKO, Leonid Georgiyevich;
KOCHANOVSKIY, E.I., nauchnyy red.; POPOV, V.H., red.;
TOKER, A.M., tekhm. red.

[Equipment and control instruments for resistance welding]
Oborudovanie i apparatura dlia kontaktnoi svarki; al'bom.
Moskva, Proftekhisdat, 1962. 137 p. (MIRA 15:11)

(Electric welding—Equipment and supplies)

AUTHORS:

Kochanovskiy, N. Ya., Zaychik, L. V., Candidates of Technical

Sciences

TITLE:

Using a-c in resistance welding

PERIODICAL: Svarochnoye proizvodstvo, no. 1, 1963, 35 - 36

The advantages of using d-c for resistance welding are: uniform load of the three-phase circuit; reduction of the required network power by a factor of 1.5 - 5; increase of the power coefficient; reduced power consumption; and elimination of the effect of the magnetic masses in the machine contour upon the welding current. The power supply of electric welding machines is satisfactorily achieved by the use of d-c, obtained from a-c, rectified by means of semiconductor valves, Germanium valves in rectifying circuits permit all - 6fold overload as compared to average rated current. As a result a three-phase rectifier unit with nine 1,000-amp-valves assures 12 - 15 kamp welding current. At VNIIESO several variants of d-d machines were investigated and the techniques of welding different metals were studied. A three-phase circuit of d-o resistance welding machines was

Card 1/2


Using d-o in resistance welding 5

S/135/63/000/001/010/016 A006/A101


developed, and a test model of a faulti-purpose spot welding machine was designed. Germanium 500 and - 1,000-amp valves were used. The machine assures stabilized welding currents during variations in the network voltage, smooth increment and drop of the welding current and the supply of two current pulses of different intensity and duration. In 1962 the "Elektrik" Plant delivered an industrial model of a d-c spot-welding machine designed by VHIIESO. The technical data are: 40 kamp rated welding current; 2,000 kg maximum welding force; 1,200 mm rated sweep. The large-scale production of d-c resistance welding machines could be started in 1963; however, the insufficient volume of germanium valve production and their high cost are serious obstacles in this project. There are 3 figures.

ASSOCIATION: VNIIESO

Card 2/2







L 13315-66

ACCESSION NR: AP5021591

TR/0286/65/000/013/0065/0065

AUTHORS: Kovrov, B. V.; Kochenovskire Me Yae; Yesipov, Ye. I.; Tolyarenko, N. Ye.

TITLE: Machine for continuous welding of polymer films. Class 39, No. 172474

SOURCE: Byulleten' isobreteniy i tovarnykh snakov, no. 13, 1965, 65

TOPIC TAGS: polymer film

ABSTRACT: This Author Certificate presents a machine for continuous welding of polymer films. The machine consists of an endless metallic band put on a driving and a driven roller, a pressing roller, a cooler, and a stripping device (see Fig. 1 on the Enclosure). To simplify the machine design and to broaden its technological possibilities, the endless metallic band is in contact with leads connected to the outputs of a transformer secondary. Orig. art. has: 1 diagram.

ASSOCIATION: Vsesoyuznyy nauchno-iseledovatel'skiy institut elektrosverochnogo oborudovaniya (All-Union Scientific Research Institute of Electric Velding Equip-


SUBMITTED: 15Jun64 NO REF SOV: 000

DICLI OL

SUB CODE: OC, NO

Card 1/2

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"



KOCHAHOVSKIY, N.Ya., doktor tekhn. nauk

Basic objectives in improving the quality of welding equipment. Svar. proizv. no.7:1-4 Jl 165. (MIRA 18:8)

1. Vsesoyuznyy nauchno-issledovateliskiy institut elektrosvarochnogo oborudovaniya.

Eastr trends in the development of welting equipment. Elektrotechnika 30 no.1.3-4 Ja 465.

· 1、1999年11世紀的政策的"他的研究"中国的成功的政策的概念。 李松明的对外的政策的关系,1994年11年的政策的决定,他们是经历的政策的国际,1994年11年的政策的

RAKHTEYENKO, I.N.; KOCHANOVSKIY, S.B.

Dependence of the vital activities of the root systems

Dependence of the vital activities of the root systems of trees on the aeration conditions, Fiziol, rast, 12 no.4:597-605 Jl-Ag 165. (MIRA 18:12)

1. Institut botaniki i mikrobiologii AN BSSR, Minsk. Submitted April 6, 1963.

THE SECTION OF THE PROPERTY OF

KOCHANOVSKIY, S.B.

Effect of soil air conditions on the state of trees in cities. Pochvovedenie no.10:90-102 0 164.

1. Institut biologii AN BSSR. (MIRA 17:11)

RAKHTEYENKO, I.N.; KOCHAMOVSKIY, S.B.

Water balance and mineral nutrition of the small-level linden planted in streets. Biul. Glav. bot. sada. no.49:42-47 163.

(MIRA 16:8)

1. Institut biologii Akademii nauk Belorusskoy SSR, Minsk.
(Minsk.—Plants.—Mutrition)
(Minsk.—Linden.—Water requirements)


RAKHTEYENKO, I.N.; KOCHAMOVSKIY, S.B.


Water balance and mineral nutrition of the small-level linden planted in streets. Biul. Glav. bot. sada. no.49:42-47 163.

(MIRA 16:8)

1. Institut biologii Akademii nauk Belorusskoy SSR, Hinsk.
(Minsk-Plants-Nutrition)
(Minsk-Linden-Water requirements)

RAINTETERRO, I.M.; ECCHAROTSHIY, S.B.; IVANCERNO, V.M. Absorption of tagged phosphorus by individual parts of serial organs in woody plants. Sbor. nauch. rab. Bel. otd. 180 po.3: 116-121 '61. (HTRA 14:12) (Trees—Physiology) (Phosph:rus—Isotopes)






RAKHTEYENKO, I.N. [Rakhtseenks, I.N.]; KOCHANOVSKIY, S.B. [Kachenovski, S.B.]

Effect of the air balance of soil on the vital activity of root systems. Vestsi AN BESR, Ser. biial. nav. no.3:14-23 163 (MCRA 17:7)

1988年 | 1988年




· TELEGRAM STATEMENT OF THE SECOND PROPERTY OF THE SECOND SECOND

(MIRA 1819)

RAKHTEYENKO, I.N.; KOCHANOVSKIY, S.B. Improving the growth conditions of wordy plants in street plantings. Biu. Glav. bot. sada no.57:44-49 165. (MIRA 18:9)

1. Institut eksperimental noy botaniki i mikrobiologii AN RSSR, Minsk.

CIA-RDP86-00513R000723420017-5" APPROVED FOR RELEASE: 09/18/2001



OSIBSKA, Krystyna; KLOTT, Maria; ZAJACINWSKA, Jadwiga; MCHARWICZ, Jan;
LACHOWICZ, Danuta; MASIADEO, Halina

Results of the treatment of pulsonary tuberculosis with 2 grams of streptomycin weekly associated with PAS. Oruslica 24 no.5;
341-348 May 56.

1. I Oddsialow ftysjatrycsnych lastytutu Oruslicy Dyrektor: prof. dr. J. Misiewicz, Instytut gruslicy, Waresawa, ul. Plocka 26.

(STRETOMYCIM, therapeutic ise, pulse, tuberc., with PAS (Pol.))
(FARAMHEOSLICTLIC ACID, therapeutic use, pulse, tuberc., with streptomycin (Pol.))

ZICH, Dobieslaw; KOCHANOWICZ, Jan; PIEKARNIAN, Kryspin; KLOTT, Maria Tuberculosis of the breast. Oruslica 30 no.7:667-673 162.

1. Z Instytutu Gruslicy Z Oddsialu II Kierownik: prof. dr med. W. Jarossewics i s Oddsialu I Kierownik: doe. dr med. P. Krakowka Dyrektor: prof. dr med. W. Jarossewics. (BREAST DISEASES) (TUBERCULOSIS)

生。1985年中的1985年,19

KCCHAHOWICZ, Jan; ARABZKIEWICZ, Włodziwierz

Effusion of chyle into the pleural cavity (chylothorax) as a sequal of spontaneous rupture of a pleural adhesion. Gruslica 28 no.1:53-62 Ja '60.

1. Z II Oddsialu Instytutu Gruslicy. Kierowniki prof.dr W. Jarossewics; z IX Oddsialu Instytutu Gruslicy. Kierowniki dr B.Chwalibog. Dyrektor Instytutu: prof.dr W. Jarossewics.

(CHYLOTHORAX etiol.)

(PLEURA dis.)

(ADHESIORS compl.)

KOCHANOVICZ, Jan; Pleteinicka, Hanna; Chalibeg, Barbara

Punctional impairment following thoracic surgery in patients who underwent physical therapy. Gruslica 33 no.4:301-312

Ap '65.

1. 2 Pracowni Rehabilitacji Lecunicsej (Kierownik: lek. J. Kochanowics) i s Klinik Instytutu Gruslicy.

THE PERSON OF THE PROPERTY OF

MASZCZYK, Zinajda; KOCHANOWICZ, Jan; KAMINSKI, Zdzislaw.

A case of giant cyst associated with pulmonary neoplasm and tuberculosis. Gruslica 28 no.9:725-730 5 '60.


1. Z Oddsialu II Kierownik: prof. dr W.Jarossewicz i z Oddsialu Patologii Kierownik: prof. dr S. Thodkowska Instytutu Gruzlicy Dyrektor: prof. dr W.Jaroszewicz (TUEERCULOSIS PULMOMARY compl) (LUNG HEOPLASMS compl)

KRAKOWKA, Pawel; CHODKOWSKA, Stefania; KEOTT, Maria; KOCHAHOWICZ, Jan

- 2 Cases of Aspergillus fumigatus infection of pleural empyema in patients with pulmonary tuberculosis. Gruslica 30 no.3:259-267 162.
- 1. 2 Pracowni Mykologicznej i z Oddzialu Gruzlicy Pluc Kierownik: doc. dr med. P. Krakowska Z Zakladu Patologii Kierownik: prof. dr. med. S. Chodkowska Z Oddzialu Gruzlicy Pluc Kierownik: prof. dr med. Wiwa Jarowsewicz Instytutu Gruzlicy Dyrektor: prof. dr. med. Wiwa Jaroszewicz.

 (ASPERGILLOSIS case reports) (EMPYEMA microbiol)

 (TUBERCULOSIS PULMKNARY compl)



· 1000年 100

KOCHANOWICZ, Tadeuss

Perfection of the managing staff. Przegl techn 31 no.21:3-4 My '60.

1. Wiceminister Pracy i Opeki Spolecznej, Warszawa.

CHCRAZAK, Tadeuss; KOCHANOWICE, Teresa

Outaneous changes in workers employed in production of micoside. Pruegl. derm. 4 no.1:23-30 Ja-F 15h.


1. I sekoji chorob sawodowych skory Instytutu Medycyny Praca w Zabrsu. Kierownik: prof. dr 7. Chorasak.
(NICOTINIO ACID ISCHERS, injurious effects,

*isoniasid, occup. skin lesions in workers)
(SKIN, diseases,

*cocup. isoniasid lesions in workers)
(OCCUPATIONAL DISMASES,

*skin lesions caused by exposure to isoniasid in workers)

CHARDOS OUTS SECULIAR SECULIAR



CHORAZAK, T.; KOCHANOVICZ, T.; KLICHTA, M.


Effects of quarts lamp irradiation on the development of experimental staphylococcal lesions in rabbits. Mod. does. mikrob. 9 no.2:205-210 1957.

1. Z Klimiki Dermatelegicznej A.M. w Zabrzu Dyrekter: pref. dr. Cherasak.

(RADIATIONS, off.

quarts lamp irradiation on develop. of exper, nicrecoccal lesions in rabbits (Pel)) (MICROCOCCAL IMPECTIONS, exper.

off, of quarts lamp irradiation on develop, of lesions in rabbits (Pol))



RASIMICZ, Vicelaw; KOCHANOWICZ, Teresa

Bourneville's syndrome. Polski tygod. lek. 14 no.18:817-819 4 May 59.

1. I Kliniki Dermatologicznej Slaskiej Akademii Medycznej; Kierownik: prof. dr T. Chorazak). Adres: Zabrze, ul. Curie Sklodowskiej 10. Klin. Dermatol. Sl. A.M.

(TUBEROUS SCLEROSIS, case reports

(Pol))

KOCHANOWICZ, Teresa; JERSTEOWSKA, Halina

Treatment of recurrent aphthae with mtabrine. Prsegl.derm.,
Varsa.46 no.51489-493 8-0 '59,

1. S Kliniki Dermatologiosnej Sl. A.M. v Sabrsu. Kierownik:
prof.dr. T. Chorasak.
(QUIMACRIES ther.)
(STOMATITIS ther.)

PIETRZYKOWSKA, Alina; KOCHANOWICZ, Terosa

Angioma serpiginosum. Przegl. derm. 49:179-182 '62.

1. Z Kliniki Dermatologicznej Sl.Am w Zabrzu Kierownik: prof. dr

T. Chorasak.

(ANGIOKERATOMA)

£ 27803-66 ACC NR. AP6006511

SOURCE CODE: FO/0034/65/000/010/0443/0444

AUTHOR: Kochanovska, Alina (Master Engineer); Wolski, Wladyslaw (Master Engineer)

ORG: Department of Electrical Apparatus, Lods Polytechnical Institute (Estedra B Aparatow Elektryusnych Politechniki Lodskiej)

TITLE: A "halotron" meter for voltage drop at switch contacts

SOURCE: Pomiary, automatyka, kontrola, no. 10, 1965, 443-444

TOPIC TADS: Hall effect, measuring instrument, electric measuring instrument, voltmeter


ABSTRACT: The voltmeter design and operating principle of a "halotron" voltage drop meter are described and the accuracy of the meter analyzed. Such a meter would be used to measure voltage drop at the contacts of high voltage switches. The method described here which uses the halotron makes possible a practical solution to the problem of voltage arop determination with an accuracy sufficient for all practical purposes. The "halotron" meter permits the measurement of voltage drop from the resistance of the contacts for the case where alternating currents of from 25 to 500 Å are flowing through them. The overall error of the meter, equal to the sum of the individual errors, is less than + 5%. It is calibrated for operation at an ambient temperature of 20°C. When measurements are being made at higher ambient

Card 1/2

VDC: 621.317.321:621.382.2

2

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"



。 1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1

KOKHANOVSKAYA, Mariya [Kochanowska, Maria]

Give more leisure time to women workers! Vsem, prof. dvish.
no.3:22-23 Mr 163. (MIRA 16:3)

BJELICKA, Isabela; EDCHAHDYSKA-SIEDRSKA, Janine

Birth injuries of the spinal cord with report of a case. Pediat.polska 30 no.5:473-480 May '55.

1. Z Kliniki Miemowlecej Instytut Matki i Dsiecka w Warssawie Dyrektor Instytutu: prof. dr Med. Fr. Oroer. Kierownik Kliniki: doc. dr med.I. Bielicka, Warssawa, Kasprsaka, 17, I.M. i Ds. (LABOR, complications, birth inj., spinal cord) (SPIMAL CORD, wounds and injuries, birth inj.)

BIHLICKA, Isabela; KOCHANOWSKA-SIKORSKA, Janina

Morbidity & mortality of premuture infants. Pediat. polska 32 no.7: 821-830 July 58.

1. Z Oddzialu Woznesniakow Instytutu Matki i Dziecka w Warszaeiw Dyrektor Instytutu: prof. dr med. Fr. Groer Kierownik Oddzialu: doc. dr med. I. Bielicka. Adres: Warszawa, ul. Nowogrodzka 75, Oddz. Woznesniakow I. M. iDz.

(INTANT MORTALITY

premature inf. in Poland (Pol))
(INTART, PHEMATURE, statist.
morbidity in Poland (Pol))

THE PROPERTY OF THE PROPERTY O

HOPMAN, Halina ; KOCHANOWSKA-SIKOMSKA, Janina

A case of rhoumatic disease in a 14-month-eld infant. Pediat. polska 35 no.3:314-321 Mr '60.

1. 2 Oddsialu Miemowlecege Instytutu Matki i Dziecka w Maresawie, Dyrektor Instytutu: prof. dr med. Fr. Greer, p.e. Kierownik Oddsialu: k.n.m. dr med. H. Hofman. (RHEUMATIC FEVER case reports)

。 一种中国企业中国的企业的企业,在1900年,1900年的企业的企业的企业,在1900年,1900年,1900年,1900年的企业。1900年的企业的企业的企业的企业的企业的企业的企业的企业的企业。1900年,1900年

Kochan owska-wishiewska, Eugenia.

Kochanowska-Wisniewska, Eugenia. - Morsey pracownicy nauki. [Wyd. 1.] Warszawa, Wydawn. Komunikacyjne, 1952 149 p. [Maritime scientists. illus.]

SO: Monthly List of East European Accessions, L.C., Vol. 3, No. 4, April, 1954

**KOCHAMOJSKI, J.

"Modern Hygiene of Production Based on Technical Progress." p. 32.
(COSPODERKA MIESHA, Vol. 6, No. 2, Feb. 1954. Warszawa, Poland.)

SO: Monthly List of East European Accessions, (EEAL), IC.

Vo. 3, No. 12, Dec. 1954, Uncl.

**ROCHMENCE, J.

**Possibilities of Avoiding an Increme in Infection of Snoked-Meet Products during a Technological Process, p. 368, (GONFOLIKA LITERA, Vol. 6, No. 12, Dec. 1954, Merszawa, Poland)

SO: Monthly List of East European Accessions, (ERI), IC, Vol. 4,

No. 5, May 1955, Uncl.

LESINSKI, Slovomir, mgr ins.; KOCHAMOWSKI, Wieslaw, mgr ins.


Influence of the test circuit imitating a stopped squirrel-cage motor on the results of testing the mechanical life of heavy duty contactors. Przegl elektrotechn 40 no.1:38-43 Ja'64.

1. Katedra Aparatow Elektrycznych, Politechnika, Lods.

KOCHANOMSKI, Ziminiav. mgr ins.; DREWNIAK, Roman, mgr ins.

Remarks on the present criteria of the rate of coal winning losses.

Presell gorn 19 no.2:75-78 F '63.



Difficulties in diagnosis of psychic disorders in solerosis tuberosa. Heurol. neurochir. psychiat. polska 1 no.3:206-211 1951. (CIML 21:5) 1. Of the Psychiatric Clinic (Head—Prof. J. Handelmann, N.D.) of Warsaw Medical Academy.

Monthly of 1949 r. Anti-distribed comparing conducted by the Ministry of Realth in 1948 Podiet polate 24:5-6 My-June 50 p. 470-74.

1. MX Give Val. 20, No. 2 Teb 1951

KOCHANSKA, Sabina; IQCKI, Mikolaj

Analysis of deaths of infants who died at home in Warsaw. Pediat. polska 32 no.7:829-836 July 57.

1. Z Działu Metodyczno-Organizacyjnego Instytutu Hatki I Dziecka w Warszawie Dyrektor Instytutu Matki i Dziecka w Worszawie Dyrektor-Instytutu; prof. dr med. Fr. Orcer. Adres: Warszawa, ul. Kasprzaka 17. Instytutu Matki i Dziecka (IMPANY MORYALITY


home deaths in Warsay (Pol))

· 计字句 (1940年) 中国中国的特别的 (1940年) 1940年 - 1940年

KOCHANSKA, Z.; SHUGAR, D.

Deamination of purines during acid hydrolysis of nucleic acids. Acta blochim. polon. 3 no.4:591-594 1956.

1. Z Pracowni Biofisyki Zakladu Biochemii PAN w Warszawie.
(NUCLBIC ACIDS,
hydrolysis, deamination of purines in (Pol))
(PURINES,
deamination in hydrolysis of nucleic acids (Pol))



KOCHANSKA, Zofia: WROBLEVSKA, Zofia; OLKOVSKA, Danuta

Attempted isolation and characteristics of infectious nucleic acid from tick-borne encechalitis virus. Preliminary communication. Med.dosw.mikrob. 12 no.41405-410 '60.

1. Z Zakladu Virusologii PZH w Waresawie. (MUCLBIC ACIDS virol) (RHCEPHALITIS EPIMENIC virol).

The Identity of 'Infectious Viral REA' from Virus-Infected Tissues with 'Soluble REA' and 'Phis-Engages That.'

The Identity of 'Infectious Viral REA' from Virus-Infected Tissues with 'Soluble REA' and 'phis-Engages That.'

Tarsaw, Bulletin de l'Acadenie Idennise des Sciences, Serie des feiences Biologiques, Vol 16, 10 11, 1962; pr 401-455.

Abstract [Anglish article]: Experiments with Coxsackie virus REA preparation from suckling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained from subling mouse tissue homogerates indicate that REA is obtained in the REA is obtained in t

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"

KOCHANSKA-KOPALOVA, Z.

The identity of infectious viral RNA from virus-infected tissues with soluble RNA and pH 5-ensymes-RNA. Bul Ac Pol biol 10 no.11:451-455 '62.

1. Department of Virology, State Institute of Hygiene, Warsaw. Presented by J.Heller.

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"

FOLAND

KOCHANSKA-KIBPALOWA, Zofia and TAYTYSCH, Florentyna Z. Virology Research Office (Zaklad Wirusologii), State Institute of Hygiene (Panstwowy Zaklad Higieny) (Director: Prof. Dr. F. PRZESNYCKI)

"Infectious RNA Obtained from Coaxsackie Viruses and Its

A STATE OF THE PROPERTY OF THE

Warsaw, Medyoyna Doswiadosalna i Mikrobiologia, Vol 15, No 2, 63, pp 167-175.

Abstract: [Authors' English summary] Samples of bone-muscle tissue extracts obtained from newborn mice infected with various strains of Coxsackie viruses were treated after Gierer and Schramm. The obtained preparations possessed proporties of infectious RNA, since infectivity disappeared after incubation with RN-ase. On hydrolysis, the infectious RNA showed a higher content of guanine and cytidylic acid than of adenine and uridylic acid. Original tissue extracts were Seitzfiltered and filtrates tested for RNA content. No loss of RNA concentration could be found. There are 16 references, which contain two Polish, one Czech, two German, and the

21

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"

THE THE REPORT OF THE PROPERTY OCHANSKI, moon 3 SURNAME, Given Names Country: Poland Academic Degrees: Department of the Technology and Control of Veterinary Drugs of the Veterinary Institute (Zaklad Technologii i Kontroli Affiliation: Lekow Weterynaryjnych, Instytut Weterynarii), Warsaw; Director (Kierosmik): Dr Antoni Teklinski Source: Lublin, Hedvovna Weterynarvina, Vol IVII, No 10, October 1961, PP 579-584 Data: "Lyophilization of Vaccine S-19 Against Infectious Abortions of Cours." Authors: TEKLINSKI, A. Dr KOCHANSKI, J [Academic Degrees not given]
TERESZCZUKOKA, M [Academic Degrees not given] DENIS, B [Academic Degrees not given] 16 are 901613

KOCHAHSKY, V.; HERAK, M., dr

On the Carboniferous and Permian Dasycladaceae of Yugoslavia; with 9 plates and 7 textfigures. Geal vjes Hrv 13:65-96 '59 (published '60).

1. Geological and Paleontological Institute of University of Zagreb, Socijal. Revolucije 8/II. 2. Urednicki odbor, Geoloski vjesnik, referent (for Herak)

(Yugoslavia--Dasyoladaceae)

"一个中心,但我们的我们的是我们的是我们的,我们就是我们的人,我们就是我们的人,我们就是我们的人,我们就是我们的人,我们就是我们的人,我们就是我们的人,我们就是

HERAK, M.; KOCHAMSKY, Y.

Oymnocadiacean calcareous algae in the Permian of Yugoslavia; with 6 plates and 1 tabulated list. Geol vies Hrv 13:185-196 '59. (EEAI 10:4)

1. Geological and Paleontological Institute, University of Zagreb, Socijalisticke Revolucije 8/II.

(Algae) (Yugoslavia---Cymnocodiaceae)

KOCHANSKI, Zdsislav

"The dialectical method in biology" by Jacob Segal, Reviewed by Zdsislaw Kochanski. Kosmos biol 10 no.6:589-597 '61.

(Segal, Jacob) (Biology) (Logic)

TO THE PROPERTY WITH A STREET THE PROPERTY OF THE PROPERTY OF

KOCHANSKY, Z.

A contribution to the knowledge of nitrom, aminom and hydrasino-diphenyle thersulphonic acids. Bul so Youg 8 no.3/4 80-81 Je-Ag*63.

1. Tehnoloski fakultet, Zagreb.

Fig. Willist of East Auropean Accessions, (2011), 10, 101. 1, 102. 11, 105. Uncl.

So: Fontaly Hat of Last European Accessions, (2011), 10, Vol. A., no. 10, Oct. 1955, Uncl.

KOCHANSKI-DEVIDE, V.; MALEZ, M.

A bibliography of Gorjanovic's works and articles on Gorjanovic.

p. 17 (Geoloski Vjesmik) Vol. 10, 1956, Zagreb, Yugoslovia

90: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

KOCHANSKY-DEVIDE, V.

The Miocene marine fauna and the Tortonian "steaks" of Medvednica.

p. 39 (Geoloski Vjesnik) Vol. 10, 1956, Zagreb, Yugoslovia

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NC. 1, JAN. 1958

一个中华中国的国际中国的中国的特别,在美国的特别的特别的企业,在全国的主义的企业的企业,但是不是一个企业的企业,但是不是一个企业的,但是不是一个企业的,但是是一个企业的企业的,但是一个企业的企业的企业,但是一个企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业,但是一个企业的企业的企业,但是一个企业的企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是一个企业的企业,但是

KOCHANSKY-DEVIDE, V.

Finds of neo-Schwager fauna in southern Montenegro, Yugoslavia. p. 21.

GEOLOSKI VJESNIK. (Zavod za geoloska istrazivanja Hrvatske i Hrvatsko geolosko drustvo) Zagreb, Yugoslavia. Vol. 11, 1957 (published 1958)

Monthly list of East European Accessions (EEAI) LC, Vol. 8, no. 8, Aug. 1959

Uncl.

KOCHANSKY-DEVIDE, V.

Neo-Schwager fauna in southern Hontenegro, Yugoslavia. In German. p. 45.

GEOLOSKI VJESNIK (Zavod za geoloska istrazivanja Hrvatske i Hrvatsko geolosko drustvo) Zagreb, Tugoslavia, Vcl. 11, 1957 (published 1958)

Monthly list of East European Accessions (EFAI) IC, Vol. 8, no. 8, Aug. 1959

Uncl.

。 "一个中心,不可以不可能的是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人

KCCHANSKY-DEVIDE, V.

Change of generations of the species Orbitopsella praecursor in the Lias Plitvice. p. 77.

GEOLOGKI VJESNIK. (Zavod za geoloska istrazivanja hrvatske i hrvatsko geolosko drustvo) Zagreb, Yugoslavia. Vol. 11, 1957 (published 1958)

Monthly list of East European Accessions (ELAI) LC, Vol. 8, no. 8, Aug. 1959 Uhel.

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"

Contribution to the geologic bibliography of Croatia. I. 1956-1958. Geol vice Hrv 12:282-290 '58 (published '59) (ERAI 9:6) 1. Glavni urednik, Geoloski vjesnik. Geolosko-paleontolovski institut Sveucilista, Zagreb. (Groatia-- Bibliography) (Geology)

KRANJEC, Velimir; AMSEL, Vera; PAVLCVSKY, Melita; KOCHAMSKY-DEVIDE, Vanda, dr

Contribution to the geology and paleontology of the Meocene of Dobosnica in the western part of the Kreka coal-bearing area; with a geologic map, 4 profiles, and a table. Geol vjes Hrv 13:97-108 *59. (Published *60)


1. Zavod za geologiju ugljena i nafte, Tehnoloski fakultet, Zagreb, kaciceva 26/IV (for Kranjec and Amsel). 2. Geolosko-paleontoloski institut, Sveuciliste Zagreb, Socijal. Revolucije 8/II (for Pavlovsky and Kochansky-Devide). 3. Urednicki odbor, Geoloski vjesnik, glavni urednik (for Kochansky-Devide)
(Bosnia and Hercegovina--Geology) (Coal)

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"

KCCHAMSKY-DEVIDE, Vnada, dr.

Contributions to the geological bibliography of Croatia.II. Gool vies Hrv 14:433-440 '60 (publ. 61).

1. Clan Urednickog odbora, referent, "Geoloski vjesnik",




KOCHANSKY-DEVIDE, Vanda, dr.; MILAN, Ante

On some Eccen cerithicds of the Majevica Mountain, Northeastern Bosnia. Geol vjes Hrv 15 no.2: '61 [publ. '68]

1. Geolosko-paleontoloski zavod, Prirodno-matematicki fakultet, Zagreb, Socijalisticke revolucije 8.
2. Clan Urednickog odbora, referent i glavni urednik, "Geoloski vjesnik" (for Kochansky-Devide).

ROCHANSKY-DEVIDÉ, V. "Plicoene of the Kosovo Basin, South Serbia" by [Geologki savod Filosofskog fakulteta, Sarajevo] M.Atanackovio. Reviewed by V. Rochanaky-Devidé. Bul so Youg 7 no.3178 Je '62.



KOCHANSKY-DEVIDE Y-

"Micropaleontologic research of the Upper Jurassic sediments along the boundary line of Montenegro and Heroegovina, and along the littoral of Dubrovnik" by [Naftagas, Crna Gora] M. Canovic. Reviewed by V. Kochansky-Devidé. Bul so Youg 7 no.1/2:23 F-Ap *62.

1. Rédacteur d'extraits, "Bulletin scientifique."

中国的大学的主义,这个人的人,这个人的人,我们就是这个人的人,他们们们们的人,这个人的人,我们是这个人的人,我们就是这个人的人,我们就是这一个人的人,我们们就是这个人的人

KOCHANSKI-DEVIDE, V.

"Paleontology" by V. Kochansky-Devidé, S. Pantic. Reviewed by V. Kochansky-Devidé, Bul se Youg 7 no.4/5:125 Ag-0 162.


1. Redacteur d'extraite, "Bulletin scientifique."

KOCHAMIKI-DEVIDÉ, V.

"Paleontology" by [Eaved geologic-geofiziokih istrazivanja ER Srbije, Beograd] R. Radcicie, B. Milovanovic, M. Sladic, and A. Grubic, and [deologic institut Srpake akademije nauka, Beograd] M. Pasic. Reviewed by V. Kochansky-Devide. Bul so Youg 7 no.6:176-177 D *62.

1. Rédacteur d'extraite, "Bulletin scientifique."

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"



KOCHANSKY-DEVIDÉ, Vanda

The Lower-Persian Tusulinids of Sustasi near Bar, Montenegro. Geol vies Hrv 8/917-18 '54/'55 [publ. '56]

1. Geolosko-paleonotloski institut Sveucilista u Zagrebu.

KOCHARAVA, P. M., Doe Agr Sci -- (diss) *Composition of the soil in young orchards of Eastern Georgia.* Nos, 1958. 35 pp (Nos Order of Lenin Agr Acad im K. A. Timiryazev), 110 copies (KL, 15-58, 117)

-56 -


ALEKSAPOL'SKIY, D.Ya., kand. tekhn. nauk; KOCHAREV, A.Ya., kand.
tekhn. nauk, retsensent; RROLEVETS, K.S., retsenzent;
PARSHCHIK, S.A., kand. tekhn. nauk, red.; SAVKIN, I.P.,
insh., red.isd-va; TIKHAROV, A.Ya., tekhn. red.
[Hydrodynamic transmissions] Gidrodinamicheekie peredaehi.
Moskva, Mashgis, 1963. 271 p. (MIRA 16:12)
(Oil hydraulic mochinery)

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"

。 1987年,1987年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1987年,1987年,1988年,19

KOCHARLI, A.S.

Some data on toxoplasmosis in dogs of Azerbaijan, Izv.AN Aserb.
SSR.Ser.biol.nauk no.5:59-61 164. (MIRA 18:4)



COCHARLI, K.; BAKHYSHOY, A.

Thermal dissociation in liquid disloctrices (in Aserbaijani with summary in Russian). Uch. sap. AGU no. 12:31-36 '55. (NIRA 9:11) (Dissociation) (Disloctrice)

KOCHARLI, K. 3%. USSR/Physical Chemistry. Liquids and Amorphous Bodies.

B-6

Abs Jour: Ref Zhur-Khimiya, No 5, 1957, 14575

Author K. Sh. Kocharli : Inst

Azerbadehan University 1 Title. •

Study of Dielectric Permeability of Mineral Oils and

Mineral Oil Products

Orig Pub: Uch, zap. Azerb. un-ta, 1956, No 4, 13-17

Abstract:

The dielectric permeability of mineral oils from the productive strata "Artemneft!" and their fractions was measured by the method of comparing the capacity of a condenser filled with a liquid with its own capacity. It was established that the substances under study belonged to the group of polar dielectrics. Their dielectric permeability is within the limits from 2 to 2.6 and increases together with the density and the depth of

Card 1/1

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723420017-5"